

ELECTRIC KETTLE TRAY SET

LOVO Black double wall electric kettle welcome tray sets







Special features:

Removable Drip Tray, Heat Resistant Handle, Automatic Shut Off, Stain Resistant, Single Hand Operation Removable



LV-FL-3201 BLACK

Size:	200x205x142mm
Color:	Black
Capacity:	0.8 litre
Material:	ABS+SS304
Voltage:	220V-240V(50-60Hz)
Power supply:	1600w
Plug:	



LV-K-0106 BLACK

Size:	200x205x142mm
Color:	Black (matt)
Capacity:	1.0 litre
Material:	SUS 304
Voltage:	220V~50Hz
Power supply:	1000w
Plug:	



LV-K-0105 WHITE

Size:	200x205x142mm
Color:	White (matt)
Capacity:	1.0 litre
Material:	SUS 304
Voltage:	220V~50Hz
Power supply:	1000w
Plug:	









LV-K-0809 BLACK

Size:	200x205x142mm
Color:	Black (matt)
Capacity:	1.0 litre
Material:	SUS 304
Voltage:	220V~50Hz
Power supply:	1000w
Plug:	



LV-K-0806 WHITE

Size:	205x240x142mm
Color:	White (matt)
Capacity:	0.8 litre
Material:	SUS 304
Voltage:	220V~50Hz
Power supply:	1000w
Plug:	



LV-K-0809 GREEN

Size:	200x205x142mm
Color:	Green (matt)
Capacity:	1.0 litre
Material:	SUS 304
Voltage:	220V~50Hz
Power supply:	1000w
Plug:	



LV-WT3013T IVORY

Size:	205x205x245mm
Color:	Ivory
Capacity:	1.7 litre
Material:	Food grade 304 stainless steel
Voltage:	220V-240v,50Hz~60Hz
Power supply:	1850w



LV-WT3013T BLUE

Size:	205x205x245mm
Color:	Blue
Capacity:	1.7 litre
Material:	Food grade 304 stainless steel
Voltage:	220V-240v,50Hz~60Hz
Power supply:	1850w



LV-G BLACK

Color:	Black
Product Size:	443*227*36mm
Material:	ABS
Feature:	Integrated space for the kettle base, Water resistant, Easy to clean



LV-K BLACK

Color:	Black
Product Size:	405*270*40mm
Material:	ABS
Feature:	Integrated space for the kettle base, Water resistant, Easy to clean
	Indentions for sachets spoons, 2 bottles of water, 2 mugs



LV-P BLACK

Color:	Black, White, Khaki
Product Size:	350*200*28mm
Material:	ABS
Feature:	Integrated space for the kettle base, Water resistant, Easy to clean
	3 indentions for sachets and spoon



LV-S MAHOGANY

Color:	Mahogany
Product Size:	400*200*30mm
Material:	Beech wood
Feature:	Anti-theft, Integrated space for the kettle base, Strong lacquer to minimize scratches and stain
	2 indentions for sachets and spoons, Easy to clean



LV-W NATURE

Color:	Nature
Product Size:	363*240*33mm
Material:	Beech wood
Feature:	Integrated space for the kettle base, Strong lacquer to minimize scratches and stain
	2 indentions for sachets and spoons, Easy to clean



LV-FL3201

Color	Black
Size	380*260*20mm
Color Size Plug	UK Plug



LV-L12 BLACK

Color:	Black
Product Size:	315*415*78mm
Material:	Durable faux leather (PU)
Feature:	Removable drawer, Non-slip footing, Large drawer tray, 4 compartments
	Suitable for all commonly used style coffee machine
Holder Dimension:	195*275*45mm



LV-L14 WOODEN BLACK

Color:	Black
Product Size:	370*240*105mm
Material:	Wood
Feature:	Drawer with 3 compartments, Easy to clean



LV-N42M BLACK

Color:	Black
Product Size:	420*310*28mm
Material:	Melamine
Feature:	Integrated space for the kettle base, Water resistant,
	Easy to clean, Burn resistant,
	Anti-stain finish
	Indentations for sachets, spoons, capsule and cups



LV-BYS-CM-FS-511 BLACK

Product size:	330x105x233mm
Voltage:	Black
Color:	0.8 liters
Power supply:	3x1 m.1
Features:	Heatexchanger 850 W, Heating time 60 seconds, Pump 19 BAR
	Programmable doses
	Adjustable temperature
	Energy saving







LV-HS-201B BLACK

Product size:	300x120x230mm
Voltage:	220V-240V~50Hz
Color:	Black / White
Power supply:	1400W
Features:	19bar pump powerful pressure for rich taste, 800ml detachable transparent water tank
	Espresso and Lungo cup potion, Adjustable cup support & drip tray
	Compatible with Nespresso capsule, Auto power off in 5 minute in energy saving mode
	With overheating and overpressure protected device, safe and reliable





LV-HS-202B BLACK

Product size:	300x120x230mm
Voltage:	220V-240V~50Hz / 110V-120V~60Hz
Color:	Black / White
Power supply:	1400W
Features:	19bar pump powerful pressure for rich taste, 800ml detachable transparent water tank
	Espresso and Lungo cup potion, Adjustable cup support & drip tray
	Compatible with Nespresso capsule, Auto power off in 5 minute in energy saving mode
	With overheating and overpressure protected device, safe and reliable





LV-HS-202B WHITE

Product size:	300x120x230mm
Voltage:	220V-240V~50Hz / 110V-120V~60Hz
Color:	Black / White
Power supply:	1400W
Features:	19bar pump powerful pressure for rich taste, 800ml detachable transparent water tank
	Espresso and Lungo cup potion, Adjustable cup support & drip tray
	Compatible with Nespresso capsule, Auto power off in 5 minute in energy saving mode
	With overheating and overpressure protected device, safe and reliable







LV-F1 WHITE

Voltage:	220V~240V
Color:	Jade White
Product Size:	270*71*90mm
Air Speed:	2 gears wind speed, 3 gears wind temperature
Power supply:	1600W
Feature:	Brushless Motor, Intelligent Constant, Temperature Control







LV-F1-GREY

Voltage:	220V~240V
Color:	Grey
Product Size:	270*71*90mm
Air Speed:	2 gears wind speed, 3 gears wind temperature
Power supply:	1600W
Plug & Socket	UK plug No.8) - (2 sockets, 220V)
Feature:	110000rpm High Speed Brushless Motor







LV-FB-618 BLACK

Voltage:	220V~240V
Color:	Black
Product Size:	165*195*68mm
Air Speed:	Shift:2-gear wind, cold and hot switching
Power supply:	1875W
Feature:	Cold and hot air, Foldable, Overheating protection







LV-FL-2308

Voltage:	220V-240V(50/60Hz)
Color:	Silver Grey
Product Size:	180*48*210mm
Air Speed:	18m/s
Power supply:	1600W
Plug & Socket	UK plug
Feature:	Upgrade mute design, Overheat protection, Magnetic attachments







LV-FB-629 GREY

Voltage:	220-240V 50Hz-60Hz 1600W
Color:	Dark Grey / Light Grey / Black / White
Product Size:	165*195*68mm
Air Speed:	Wind speed 12.5-13m/s
Power supply:	1600W
Plug & Socket	UK plug No.8) - (2 sockets, 220V)
Feature:	2W turn high-speed motor for fast dry







LV-FB-619 BLACK

Voltage:	220V~
Color:	Black / White / Dark Grey / Light Grey
Product Size:	182*227*75mm
Air Speed:	High air flow
Power supply:	1300W
Plug & Socket	UK plug No.8 - (2 sockets, 220V)
Feature:	Independent cold air design, three gears to adjust the temperature







LV-FL- 2205 BLACK

Voltage:	220V-240V(50Hz-60Hz)
Color:	Black (Glossy)
Material:	ABS plastic
Air Speed:	3 hot wind, 2 cool wind
Power supply:	1800w
Plug & Socket	UK plug No.8
Feature:	Warm And Cold Air Optional(3 Speed Settings)/Overheating protection



LV-F2 BLACK

Voltage:	220V-240V(50Hz-60Hz)
Color:	Black (Glossy)
Material:	ABS plastic
Air Speed:	3 hot wind, 2 cool wind
Power supply:	2000 Watts
Plug & Socket	UK plug No.8 - (2 sockets, 220V
Feature:	Overheating protection







LV-FL-2115 WHITE

Voltage:	220V-240V(50Hz-60Hz)
Color:	White (Glossy), Black
Material:	ABS
Air Speed:	20m/s
Power supply:	1600w
Plug & Socket	UK plug No.8) - (2 sockets, 220V)
Feature:	Integrated wall hanging, Iron air outlet, Overheat protection







LV-2301

Voltage:	220V-240V(50/60Hz)
Color:	Black
Product Size:	298*96*290mm
Air Speed:	17.5m/s
Power supply:	1900w
Plug & Socket	UK plug No.8) - (2 sockets, 220V)
Feature:	Multiple gear adjustment, Strong wind, Thermostat hair care, Magnetic suction nozzle







LV-FL-2208 BLACK

Voltage:	220V-240V(50Hz-60Hz)
Color:	Black
Material:	ABS
Air Speed:	30m/s
Power supply:	1600w
Plug & Socket	UK plug No.8
Feature:	Warm And Cold Air Optional (3 Speed Settings)/Overheating protection/Negative ions









ELECTRIC IRON

LV-HS-05 BLACK

Unit Size:	L292 x W121 x H145 mm
Sole Plate Size:	L219 x W121 mm
Voltage:	220-240V 50/60Hz, 1800W
Water tank capacity:	320ML
Soleplate:	Ceramic
Features:	Adjustable Temperature for different fabrics
	Dry/Spray/Steam/Burst steam/Self-cleaningAnti-calc/Anti-drip/Auto shut-off
	Horizontal position after 30 seconds, Vertical position after 8 minutes
	Dial thermostat control, Temperature pilot light, Soft handle



ELECTRIC IRON

LV-HS-06 WHITE

Unit Size:	L292 x W121 x H145 mm
Color:	White/Grey
Voltage:	220-240V 50/60Hz, 1800W
Water tank capacity:	320ML
Soleplate:	Ceramic
Features:	ON and READY indicator light
	Dry/Spray/Steam/Blast/Self-cleaning/Anti-drip/Auto shut-off
	Horizontal position after 30 seconds, Vertical position after 8 minutes
	Hotel steam master, safe and powerful









ELECTRIC IRON

LV-HS-22 BLACK

Unit Size:	L290 x W122 x H150 mm
Voltage:	220-240V 50/60Hz, 2200W
Water tank capacity:	320ML
Soleplate:	Ceramic
Features:	Adjustable Temperature for different fabrics
	Dry/Spray/Steam/Burst steam/Self-cleaningAnti-calc/Anti-drip/Auto shut-off
	Horizontal position after 30 seconds, Vertical position after 8 minutes
	Dial thermostat control, Temperature pilot light, Soft handle



LV-IBO1

Board size:	92x30 cm
Thickness of felt:	10mm
Color:	Silver grey
Material:	Steel
Surface treatment:	Powder coating
Feature:	7 gears adjustable in height
	Fits into small areas



LV-IBO1-1

Board size:	90x30cm
Color:	Black
Surface Treatment:	powder coating
Material:	Steel
Thickness of felt:	8mm
Feature:	7 gears adjustable in height, Compact mesh frame board
	Fits into small areas



LV-IBO3

Board size:	110x33cm
Color:	Silver Gray
Surface Treatment:	Powder coating
Material:	Steel
Maximum Height:	85cm, 7 gears adjustable height
Thickness of felt:	10mm
Leg Tube dia:	28mm & 32mm



LV-IB05

Board size:	110x33cm
Color:	Black
Surface Treatment:	Powder coating
Material:	Steel
Maximum Height:	85cm, 7 gears adjustable height
Thickness of felt:	10mm
Leg Tube Dia:	28mm & 32mm







MINI BAR

LV-CB-40SA

Voltage:	220-240V 50/60Hz 58W
Color:	White
Product Size:	W400 x D425 x H560mm
Capacity:	40L
Eco Temp:	5-12°C
Feature:	Automatically evaporating drain water, Convenient for storing different size of drinks







MINI BAR

LV-XC45

Capacity:	45L
Voltage:	220-240V 50/60Hz
Color:	White
Product Size:	W399 x D440 x H655mm
Control system:	Electronic thermostat
Control panel:	Electric
Temperature range:	1~3, 4~10, 11~13 C



LV-BC-30A

Capacity:	30L
Voltage:	220-240V 50/60Hz 55W
Color:	Black,White
Product Size:	W400×D398×H480mm
Eco Temp:	6.5-15°C
Energy:	0.5kwh/24h
Feature:	Automaticaly Evaporating Drain water, Internal LED light



LV-BC-30AF

Capacity:	30L
Voltage:	220-240V 50/60Hz 55W
Color:	Black,White
Product Size:	W400×D398×H480mm
Eco Temp:	10-15°C
Energy:	0.5kwh/24h
Feature:	Automaticaly Evaporating Drain water, Internal LED light



LV-BC-40A

Capacity:	40L
Voltage:	220-240V 50/60Hz 55W
Color:	Black,White
Product Size:	W400×D420×H530mm
Eco Temp:	6.5-15°C
Energy:	0.5kwh/24h
Feature:	Automaticaly evaporating drain water, Internal LED light



LV-BC-40G

Capacity:	40L
Voltage:	220-240V 50/60Hz 55W
Color:	Black,White
Product Size:	W400×D420×H530mm
Eco Temp:	10-15°C
Energy:	0.5kwh/24h
Feature:	Automaticaly evaporating drain water, Internal LED light







LV-HS-42G

Capacity:	42L
Voltage:	220-240V 50/60Hz 48W
Color:	Black,White
Product Size:	W420×D420×H515mm
Eco Temp:	13-18°C
Insulation:	Cyclopentane
Feature:	Automaticaly evaporating drain water, Internal LED light



LV-BC-30C

Capacity:	30L
Voltage:	220-240V 50/60Hz 50W
Color:	Black,White
Product Size:	W420×D395×H490mm
Eco Temp:	6.5-15°C
Energy:	0.5kwh/24h
Feature:	Automaticaly evaporating drain water, Internal LED light



LV-BC-30C-G

Capacity:	30L
Voltage:	220-240V 50/60Hz 50W
Color:	Black,White
Product Size:	W420×D395×H490mm
Eco Temp:	10-18°C
Energy:	0.5kwh/24h
Feature:	Automaticaly evaporating drain water, Internal LED light







LV-BC-40CP

Capacity:	40L
Voltage:	220-240V 50/60Hz 48W
Color:	Black,White
Product Size:	W420×D420×H575mm
Eco Temp:	5-15°C
Insulation:	Cyclopentane
Feature:	Automaticaly evaporating drain water, Internal LED light, Reversible door design



LV-BC-40CP-G

Capacity:	40L
Voltage:	220-240V 50/60Hz 48W
Color:	Black
Product Size:	W420×D420×H575mm
Eco Temp:	10-18°C
Insulation:	Cyclopentane
Feature:	Automaticaly evaporating drain water, Internal LED light, Reversible door design,



LV-CB-30SA

Capacity:	30L
Voltage:	100V-127V, 220-240V 63W
Color:	Black
Product Size:	W385×D420×H475mm
Eco Temp:	6-15°C
Energy:	D grade, 0.17kwh/24h
Feature:	No compressor, no vibration, no CFC, no noise, Automaticaly evaporating drain water



LV-SC-30SA

Capacity:	30L
Voltage:	100V-127V, 220-240V 63W
Color:	Black
Product Size:	W385×D420×H485mm
Eco Temp:	12-16°C
Energy:	D grade, 0.17kwh/24h
Feature:	No compressor, no vibration, no CFC, no noise, Automaticaly evaporating drain water



LV-CB-40SA

Capacity:	40L
Voltage:	220-240V 50/60Hz 58W
Color:	Black, white
Product Size:	W400×D420×H560mm
Eco Temp:	6-15°C
Energy:	E grade, 0.21kwh/24h
Feature:	No compressor, no vibration, no CFC, no noise, Automaticaly evaporating drain water



LV-SC-40SA

Capacity:	40L
Voltage:	220-240V 50/60Hz 58W
Color:	Black, white
Product Size:	W400×D415×H570mm
Eco Temp:	12-16°C
Energy:	D grade, 0.21kwh/24h
Feature:	No compressor, no vibration, no CFC, no noise, Automaticaly evaporating drain water



LV-XC-30A

Capacity:	30L
Voltage:	220-240V 50/60Hz 65W
Color:	Black, white
Product Size:	W400×D420×H480mm
Eco Temp:	0-8°C
Energy:	G grade, 0.61kwh/24h
Feature:	No compressor, no vibration, no noise, no freon, Automaticaly evaporating drain water



LV-XC-30B

Capacity:	30L
Voltage:	220-240V 50/60Hz 65W
Color:	Black, white
Product Size:	W400×D415×H480mm
Eco Temp:	5-12°C
Energy:	G grade, 0.76kwh/24h
Feature:	No compressor, no vibration, no noise, no freon, Automaticaly evaporating drain water



LV-XC-40A

Capacity:	40L
Voltage:	220-240V 50/60Hz 65W
Color:	Black, white
Product Size:	W400×D440×H550mm
Eco Temp:	0-8°C
Energy:	0.62kwh/24h
Feature:	No compressor, no vibration, no noise, no freon, Automaticaly evaporating drain water



LV-XC-40B

Capacity:	40L
Voltage:	220-240V 50/60Hz 65W
Color:	Black, white
Product Size:	W400×D435×H550mm
Eco Temp:	5-12°C
Energy:	0.78kwh/24h
Feature:	No compressor, no vibration, no noise, no freon, Automaticaly evaporating drain water



LV-XC-60A

Capacity:	60L
Voltage:	220-240V 50/60Hz 80W
Color:	Black, white
Product Size:	W485×D500×H560mm
Eco Temp:	0-8°C
Energy:	1.0kwh/24h
Feature:	No compressor, no vibration, no noise, no freon, Automaticaly evaporating drain water



LV-XC-60B

Capacity:	60L
Voltage:	220-240V 50/60Hz 80W
Color:	Black, white
Product Size:	W485×D495×H560mm
Eco Temp:	5-12°C
Energy:	1.15kwh/24h
Feature:	No compressor, no vibration, no noise, no freon, Automaticaly evaporating drain water



LV-SC-30L

Capacity:	30L
Voltage:	220-240V 50/60Hz 70W
Color:	Black, white
Product Size:	W405×D415×H493mm
Eco Temp:	0-10°C
Noise:	40dB
Feature:	Automaticaly evaporating drain water, Internal LED light



LV-SC-42L

Capacity:	42L
Voltage:	220-240V 50/60Hz 75W
Color:	Black, white
Product Size:	W405×D415×H585mm
Eco Temp:	0-10°C
Noise:	40dB
Feature:	Automaticaly evaporating drain water, Internal LED light



LV-SC-50L

Capacity:	50L
Voltage:	220-240V 50/60Hz 75W
Color:	Black, white
Product Size:	W445×D465×H520mm
Eco Temp:	0-10°C
Noise:	40dB
Feature:	Automaticaly evaporating drain water, Internal LED light



LV-SC-75L

Capacity:	75L
Voltage:	220-240V 50/60Hz 75W
Color:	Black, white
Product Size:	W445×D470×H760mm
Eco Temp:	0-10°C
Noise:	40dB
Feature:	Automaticaly evaporating drain water, Internal LED light



THERMO ABSORPTION MINI BAR (DRAWER STYLE)

LV-CB-45SA

Capacity:	45L
Voltage:	220-240V 50/60Hz 58W
Color:	Black, white
Product Size:	490×455×425mm
Eco Temp:	6-15°C
Energy:	F grade, 0.26kwh/24h
Feature:	Automaticaly evaporating drain water, Internal LED light



ABSORPTION MINI BAR (DRAWER STYLE)

LV-XC-50A

Capacity:	50L
Voltage:	220-240V 50/60Hz 80W
Color:	Black, white
Product Size:	550×500×430mm
Eco Temp:	0-8°C
Insulation:	Cyclopentane
Feature:	No compressor, no noise, no freon, Automaticaly evaporating drain water, Internal LED light







LV-E2042A

Size:	W420xD370xH200mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction. finish or Sand texture powder coating finish
User management:	3-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 4 times
Features:	Low battery indicator, Powered by 4 x AA, LED display screen



LV-E2042B

Size:	W420xD370xH200mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction
User management:	3-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 4 times
Features:	Low battery indicator, Powered by 4 x AA, LED display screen



LV-E2042H

Size:	W420xD370xH200mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction
User management:	3-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 4 times
Features:	Low battery indicator, Powered by 4 x AA, LED display screen



LV-E2042M

Size:	W420xD370xH200mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction
User management:	3-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 4 times
Features:	Low battery indicator, Powered by 4 x AA, LED display, Audit trail 1000 records, Backlit keyboard



LV-E2042U

Size:	W420xD370xH200mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction
User management:	3-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 4 times
Features:	Low battery indicator, Powered by 4 x AA, LED display screen, Audit trail 1000 records



LV-E2042BJ

Size:	W420xD370xH200mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction
User management:	3-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 4 times
Features:	Low battery indicator, Powered by 4 x AA, LED display screen, Audit trail 1000 records



LV-E2042MJ

Size:	W430xD350xH200mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction
User management:	3-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 4 times
Features:	Low battery indicator, Powered by 4 x AA, LED display screen, Audit trail 1000 records



LV-D1541N

Size:	W410xD350xH150mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction
User management:	3-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 3 times
Features:	Low battery indicator, Powered by 4 x AA, LED display screen, Pre-drilled mounting holes



LV-E4035

Size:	W400xD350xH150mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction
User management:	3-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 3 times
Features:	Low battery indicator, Powered by 4 x AA, LED display screen, Can fit 15" laptop



LV-E2043C

Size:	W445xD380xH1200mm
Color:	Black
Material:	Solid steel double bolt lock for maximum security and durability
User management:	4-6 digit guest code
Hotel management:	6 digit override master code and universal mechanical key, Auto lock after 3 incorrect password
	entries, One button locking
Features:	Low battery indicator, LED display screen, Side opening



LV-E2043D

Size:	W445xD380xH1200mm
Color:	Black
Material:	Solid steel double bolt lock for maximum security and durability
User management:	4-6 digit guest code
Hotel management:	6 digit override master code and universal mechanical key, Auto lock after 3 incorrect password
	entries, One button locking
Features:	Low battery indicator, LED display screen, Side opening,



LV-CT-2048MJ

Size:	W370xD420xH200mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction, Orange peel powder coating finish
User management:	4-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 4 times
Features:	Low battery indicator, LED display screen



LV-CT-2048BJ

Size:	W370xD420xH200mm
Color:	Black
Material:	Solid, arc-welded heavy-gauge steel construction, Orange peel powder coating finish
User management:	4-6 digit guest code
Hotel management:	6 digit override master code/mechanical key override
	5 minutes freeze system in case of wrong code for 4 times
Features:	Low battery indicator, LED display screen, Inside LED light strip









B12

Display:	Large LED screen
Bluetooth version:	5.0
Bluetooth Range:	10M
Output Power	8 + 8W
Features:	Ambient night light, High quality speaker system, Synchronise time with one click,
	Support for Android / Apple Devices, Single day alarm, Snooze function







HV3pro

Product size:	15 x 8.5 x 7cm
Display:	Large LED digital screen
Bluetooth version:	5.0
Bluetooth range:	10M
Wireless charging:	15W
battery:	Built-in 1200mha lithium
Power:	AC 110-240V, 50/60Hz, DC 9V 2Av
Features:	Multi-level dimmable, Single day alarm, Snooze function, Built-in 3 kinds of white noise to help sleep







D8-PD

Product size:	5*4.2*3.1 Inch (128*108*80MM)
Material:	ABS plastic
Color:	Black
Bluetooth version:	JL5.0
Battery Capacity:	1200 mh
Speaker Unit:	40mm/ 5Watt*2, Double loudspeaker
Port Type:	Type-C, DC/5V
Features:	TF SD Card/USB/FM/AUX/Digital Clock/Dual Alarm/BT5.0/Hands-free call







D8-PD

Display:	2.5-inch LCD screen
Audio source:	Bluetooth, USB
Bluetooth version:	4.2
Bluetooth range:	10M
Wireless charging:	15W
Output power:	3W + 3W
Features:	Multi-level dimmable, Snooze function, Daylight-saving time mode, Synchronise time with one click







WALL MOUNTED EMERGENCY FLASHLIGHT

LV-K-SD001 BLACK

Battery Capacity:	1200 mah
Color:	Grey / Black
Charging Duration:	2-3H
Charge Power:	5V 500 mA
View Distance:	20-30m
Service Time:	10H
Feature:	USB Charging Sensor Switch Super Long Standby Time Far View Distance Durable LED Bulb Fluorescence Indicator







WALL MOUNTED FLASHLIGHT

LV-HSF-01

Product Size:	185*60*55 mm(o45*o26*175 mm)
Color:	Black
Bulb type:	13 LEDs
Battery:	3 AA
Material:	Aluminum alloy shell, anti-slip rubber handle
Attachment:	Charging base rack, fixing screws each item
Feature:	Rechargeable



LV-H-01

Dimension:	L305xW245xH25mm
Max weight:	200KG
Graduation:	0.1kg
Material:	6MM Tempered Glass weighing Platform
Power Source:	2*AAA Batteries
Features:	Auto on/off function, Low battery and overload indication



LV-H-02

Dimension:	L312xW285xH23mm
Max weight:	180KG
LED Display:	73x33mm
Material:	6MM Tempered Glass
Power Source:	2*AAA Batteries
Features:	Auto on/off function, Low battery and overload indication



LV-H-03

Dimension:	L312xW285xH20mm
Max weight:	180KG
LED Display:	61x25mm
Material:	5MM toughened glass weighing platform
Power Source:	1 lithium cell battery
Features:	Auto on/off function, Low battery and overload indication
Color:	Silver



LV-H-04

Dimension:	L300xW300xH23mm
Max weight:	180KG
LED Display:	73x33mm
Material:	Tempered glass, Stainless steel, ABS
Power Source:	2*1.5V AAA batteries
Features:	Auto on/off function, Low battery and overload indication
Color:	Stainless steel



LV-H05

Dimension:	L300xW300xH24.5mm
Max weight:	180kg
Graduation:	0.1kg
Material:	Full glass platform
Power Source:	2*1.5V AAA Batteries
Features:	LED display, Automatic switch on/off, Equipped with 4 high precision sensors system
	Low battery / overload indication



LV-SN-0001B

Size:	L600xW450xH670mm
Color:	Beige, Black
Feature:	SPEED DIAL BUTTON (+10, +5, +3, +0)
	14 Digits Memory
	Compatibilited with multiple of mainstream switches
	Dual tones electronic ringing volume 2 level adjustable
	Hand-free call volume multilevel adjustable
	Automatic take-up function/ Auto re-dial
	Desk and wall mountable





LV-SN-0005

Size:	L600xW450xH670mm
Color:	Black, Beige
Feature:	SPEED DIAL BUTTON (+8, +5, +3, +0)
	14 digits memory
	Compatibilited with multiple of mainstream switches
	Dual tones electronic ringing, adjustable speaker volume
	Hand-free call volume multilevel adjustable
	Automatic take-up function/ Auto re-dial
	Desk and wall mountable



LV-SN-0009B

Size:	L600xW450xH670mm
Color:	Black, Beige
Feature:	SPEED DIAL BUTTON (+10, +5, +3, +0), 14 digits memory
	12 bit LCD display, actual time and date display
	Compatibilited with multiple of mainstream switches
	Dual tones electronic ringing, adjustable speaker volume
	Hand-free call volume multilevel adjustable, Automatic take-up function/ Auto re-dial
	Flash time adjustable to fit for different exchange, standard flash time is 600ms



LV-ACE-8901

Size:	L600xW450xH670mm
Color:	Black
Feature:	SPEED DIAL BUTTON (+8, +5, +3, +0)
	14 digits memory
	Compatibilited with multiple of mainstream switches
Dual tones electronic ringing, adjustable speaker volume	Dual tones electronic ringing, adjustable speaker volume
	Hand-free call volume multilevel adjustable, Automatic take-up function/ Auto re-dial
	Low-power memory: when the phone is switch-off, the built-in bettery is enabled automatically,
	so that the storage data will not be lost





LV-SN-0011

Box Size:	L600xW450xH670mm
Color:	Beige, Black
Feature:	Soft humanized ring
	Desk and wall mountable
	Lighiting-proof, moustureproof and waterproof





LV-SN-8903

Box Size:	L600xW450xH670mm
Color:	Black
Feature:	Efficient useful ring-coming light
	Adjustable ringer control
	Lighiting-proof, moustureproof and waterproof
	SOS emergency call key



Distributed by



+971 55 387 3297
sales@infinityhs.ae
2nd Floor Mohd.Obaid Al Majid bldg
Marrakech Street, Dubai,
UAE.